according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion PYRO-SAFE® FLAMMOTECT-A filler

Revision date: 04.07.2021 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion

PYRO-SAFE® FLAMMOTECT-A filler

UFI: XH1N-XN16-HQC4-M5U2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Fire protection material

1.3. Details of the supplier of the safety data sheet

Company name: svt Brandschutz

Vertriebsgesellschaft mbH International

Street: Glüsinger Straße 86
Place: D-21217 Seevetal

Telephone: +49 (0) 4105 / 4090 - 0 Telefax: +49 (0) 4105 / 4090 - 32

e-mail: info@svt.de

Internet: www.svt-global.com

Responsible Department: Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone INTERNATIONAL: +49 (0) 6132 / 84463 (GBK GmbH, Ingelheim)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2

-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Additional advice on labelling

The product is labeled in accordance with Regulation (EC) no. 1272/2008 (GHS).

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a

PBT / vPvB substance.

High risk of slipping due to leakage/spillage of product.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Aqueous dispersion with organic and inorganic fillers / pigments

according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion PYRO-SAFE® FLAMMOTECT-A filler

Revision date: 04.07.2021 Page 2 of 8

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification				
13463-67-7	titanium dioxide *				
	236-675-5	022-006-00-2	01-2119489379-17		
	Carc. 2; H351				
55965-84-9	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		< 0.1 %		
	911-418-6	613-167-00-5	01-2120764691-48		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Con	c. Limits, M-factors and ATE	
55965-84-9	911-418-6	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	< 0.1 %
	= 50 mg/kg; 0 0,06 - < 0,6		

Further Information

*) Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter <= 10 μm.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothes and wash before re-use.

After inhalation

Take affected person into fresh air. Consult a physician.

Get medical attention, if respiratory irritation develops or if breathing becomes difficult.

After contact with skin

Remove contaminated soaked clothing immediately.

In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of lukewarm water, also under the eyelids, for at least 15 minutes.

Do not rub eyes - contains inorganic fillers, which irritate the eyes mechanically like other inert materials. Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, consult a specialist.

After ingestion

Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse out mouth and give plenty of water to drink. Consult a physician.

4.2. Most important symptoms and effects, both acute and delayed

May produce an allergic reaction.

Symptoms of eye or skin irritation: burning, redness, swelling

4.3. Indication of any immediate medical attention and special treatment needed

according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion **PYRO-SAFE® FLAMMOTECT-A filler**

Revision date: 04.07.2021 Page 3 of 8

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself does not burn. Use fire fighting measures that suit the environment and products stored.

Foam, carbon dioxide (CO2), dry chemical, water-spray

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

In case of fire formation of dangerous gases possible.

In case of fire, wear suitable respiratory equipment with positive air supply.

Remove product from area of fire, or otherwise cool containers with water to avoid pressure being build up due to heat.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Avoid contact with eyes, skin or mucous membrane. Do not breathe vapours and aerosols.

Ensure adequate ventilation, especially in confined areas.

High risk of slipping due to leakage/spillage of product.

For non-emergency personnel

Avoid contact with skin, eyes and clothing.

For emergency responders

Use personal protective clothing.

Remove persons to safety.

6.2. Environmental precautions

Do not discharge large amounts into the drains or bodies of water. Inform competent authority about release into the sewage, ground or into waters.

6.3. Methods and material for containment and cleaning up

Other information

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

6.4. Reference to other sections

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures necessary if used correctly.

Do not keep containers unlocked.

Observe the technical data sheet.

Advice on protection against fire and explosion

No special precautions required.

Further information on handling

When using do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion PYRO-SAFE® FLAMMOTECT-A filler

Revision date: 04.07.2021 Page 4 of 8

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Keep only in original container.

Further information on storage conditions

No special storage conditions required.

7.3. Specific end use(s)

See identified use in SECTION 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

8.2. Exposure controls





Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Take the usual precautions when handling with chemicals.

Wash hands before breaks and at the end of workday.

When using do not eat, drink or smoke.

Eye/face protection

Tightly fitting goggles (EN 166).

Hand protection

Chemical-resistant gloves (EN 374), Safety gloves for the site (EN420, Cat. 1 or 2)

Follow the recommendations of the glove manufacturer for breakthrough properties especially for workplace conditions involving mechanical stress and contact duration.

Skin protection

Protective clothing

Respiratory protection

Not required under normal use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Viscous liquid / Pasty

Colour: White / Grey
Odour: Almost odourless

Test method

pH-Value: 7.0 - 7.8 (10 % in water)

Changes in the physical state

Melting point/freezing point: No data available Boiling point or initial boiling point and $$\sim 100\ ^{\circ}\text{C}$$

boiling range:

according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion PYRO-SAFE® FLAMMOTECT-A filler

Revision date: 04.07.2021 Page 5 of 8

Flash point: Not applicable
Sustaining combustion: Not sustaining combustion

Explosive properties

The product is not explosive.

Lower explosion limits:Not applicableUpper explosion limits:Not applicableAuto-ignition temperature:Not applicableDecomposition temperature:No data available

Oxidizing properties

Not fire-promoting.

Vapour pressure:

Density (at 20 °C):

Water solubility:

No data available

1.34 - 1.48 g/cm³

Miscible

Solubility in other solvents

No data available

Partition coefficient n-octanol/water:

Viscosity / dynamic:

No data available

Refer to section: 9.2 mPa·s

Viscosity / kinematic:

No data available

9.2. Other information

Viscosity:

PYRO-SAFE® FLAMMOTECT-A coating: 6 000 - 10 000 mPas (20 °C) PYRO-SAFE® FLAMMOTECT-A solid emulsion: 25 000 - 40 000 mPas (20 °C)

PYRO-SAFE® FLAMMOTECT-A filler: not measureable

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity with the intended use is not associated with any hazards.

10.2. Chemical stability

Chemically stable.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

Keep from freezing.

10.5. Incompatible materials

Strong acids, strong bases

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

Further information

Keep only in original container.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

Health injuries are not known or expected under normal use.

Acute toxicity

Based on available data, the classification criteria are not met.

according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion PYRO-SAFE® FLAMMOTECT-A filler

Revision date: 04.07.2021 Page 6 of 8

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
55965-84-9	Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)					
	oral	ATE mg/kg	100			
	dermal	ATE	50 mg/kg			
	inhalation vapour	ATE	0,5 mg/l			
	inhalation aerosol	ATE	0,05 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Contact with eyes may cause irritation.

Sensitising effects

Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No data available

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

Not determined

12.3. Bioaccumulative potential

Not determined

12.4. Mobility in soil

Not determined

12.5. Results of PBT and vPvB assessment

Not determined

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

Further information

Do not release undiluted or in higher quantities into the groundwater, sewerage or waters.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion PYRO-SAFE® FLAMMOTECT-A filler

Revision date: 04.07.2021 Page 7 of 8

Disposal recommendations

Do not discharge into the drains/surface waters/ground water. The waste code number must be agreed with the disposer / manufacturer / competent authority. Waste disposal according to local regulations.

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

Cleaning agent: Water

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

according to UK REACH Regulation

PYRO-SAFE® FLAMMOTECT-A coating PYRO-SAFE® FLAMMOTECT-A solid emulsion PYRO-SAFE® FLAMMOTECT-A filler

Revision date: 04.07.2021 Page 8 of 8

2004/42/EC (VOC): < 10 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

H301

This data sheet contains changes from the previous version in section(s): 1,2,3,6,8,9,11,12,15,16.

Abbreviations and acronyms

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

(Agreement concerning the international carriage of Dangerous goods by Road)

IMDG-Code: International Maritime Code for Dangerous Goods

Toxic if swallowed.

ICAO: International Civil Aviation Organisation (IATA: The International Air Transport Association)

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

Relevant H and EUH statements (number and full text)

H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2 -methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)